APPENDIX 5-1

OR REFUSE PILE

INSPECTION FORM

Information for Appendix 5-1 is all hard copies no electronic copies exist.

INCORPORATED

MAY 1 8 2007

INSPECTION AND CERTIFIED REPORT ON EXCESS SPOIL PILE OR REFUSE PILE			Page 1 of	
ermit Number		Report Date		
Mine Name				
Company Name				
Excess Spoil Pile or Refuse Pile Identification	Pile Name			
	Pile Number			
	MSHA ID Number			
Inspection Date				
Inspected By				
Reason for Inspection (Annual, Quarterly or Other Periodic Inspection, Critical Installation, or Completion of Construction)		Attachments to Report	?	
Field Evaluation				
2. Placement of underdrains and protective filter systems. 3. Installation of final surface drainage systems.				
	spaction of fill materials.		CORPORATED	
			MAY 1 8 2007	

INSPECTION AND CERTIFIED ON EXCESS SPOIL PILE OR			Page 2 of	
	l revegetation of fill.			
6. Appearances of instability, structural weakness, and other hazardous conditions.				
7. Other Comments. Describe any changes in the geometry of the Excess Spoil/Refuse Pile structure, instrumentation, average and maximum lifts of materials placed in the pile, elevations of active benches, total and remaining storage capacity of the structure, evidence of fires in the pile and abatement of such fires, volumes of materials placed in the structure during the year, and any other aspect of the structure affecting its stability or function which has occurred during the reporting period.				
		INC	CORPORATED	
		1	MAY 1 8 2007	
		Div. o	of Uil, વાતક લ wining	
Certification Statement	I hereby certify that; I am ed I am qualified and authorized condition and appearance of ed and approved designs for this in accordance with approved derequirements under all applicants in accordance with approved inspections and inspection rejustability, structural weakness affecting stability.	in the State of Utah to insp arth and rock fills in accord structure; that the fill str esign and meet or exceed the able federal, state and local ports are made by myself and	ance with the certified ucture has been maintained minimum design regulations; and, that include any appearances of	
[Cert. Stamp]				
	Signature:		Date:	
	P.E. Number & State:			